

Complete Summary

TITLE

Chronic stable coronary artery disease (CAD): percentage of patients who were prescribed antiplatelet therapy.

SOURCE(S)

American College of Cardiology, American Heart Association, Physician Consortium for Performance Improvement™. Clinical performance measures: chronic stable coronary artery disease. Tools developed by physicians for physicians. Chicago (IL): American Medical Association (AMA); 2005. 8 p. [18 references]

Measure Domain

PRIMARY MEASURE DOMAIN

Process

The validity of measures depends on how they are built. By examining the key building blocks of a measure, you can assess its validity for your purpose. For more information, visit the [Measure Validity](#) page.

SECONDARY MEASURE DOMAIN

Does not apply to this measure

Brief Abstract

DESCRIPTION

This measure is used to assess the percentage of patients with chronic stable coronary artery disease (CAD) who were prescribed antiplatelet therapy.

RATIONALE

According to American College of Cardiology (ACC), American Heart Association (AHA), and American College of Physicians-American Society of Internal Medicine (ACP-ASIM) guidelines, routine use of aspirin is recommended in the absence of contraindications. If contraindications exist, other antiplatelet therapies may be substituted.

PRIMARY CLINICAL COMPONENT

Coronary artery disease (CAD); antiplatelet therapy

DENOMINATOR DESCRIPTION

All patients with coronary artery disease (CAD)

NUMERATOR DESCRIPTION

Patients from the denominator who were prescribed antiplatelet therapy

Evidence Supporting the Measure

EVIDENCE SUPPORTING THE CRITERION OF QUALITY

- A clinical practice guideline or other peer-reviewed synthesis of the clinical evidence
- One or more research studies published in a National Library of Medicine (NLM) indexed, peer-reviewed journal

NATIONAL GUIDELINE CLEARINGHOUSE LINK

- [ACC/AHA 2002 guideline update for the management of patients with unstable angina and non-ST-segment elevation myocardial infarction. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines \(Committee on the Management of Patients With Unstable Angina\).](#)
- [ACC/AHA 2002 guideline update for the management of patients with chronic stable angina: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines \(Committee to Update the 1999 Guidelines for the Management of Patients With Chronic Stable Angina\).](#)

Evidence Supporting Need for the Measure

NEED FOR THE MEASURE

Variation in quality for the performance measured

EVIDENCE SUPPORTING NEED FOR THE MEASURE

Braunwald E, Antman EM, Beasley JW, Califf RM, Cheitlin MD, Hochman JS, Jones RH, Kereiakes D, Kupersmith J, Levin TN, Pepine CJ, Schaeffer JW, Smith EE 3d, Steward DE, Theroux P, Alpert JS, Eagle KA, Faxon DP, Fuster V, Gardner TJ, Gregoratos G, Russell RO, Smith SC Jr. ACC/AHA guidelines for the management of patients with unstable angina and non-ST-segment elevation myocardial infarction. J Am Coll Cardiol 2000 Sep; 36(3): 970-1062. [515 references] [PubMed](#)

Eagle KA, Guyton RA, Davidoff R, Ewy GA, Fonger J, Gott JP, Herrmann HC, Marlow RA, Nugent WC, O'Connor GT, Orsulak TA, Rieselbach RE, Winters WL, Yusuf S, Gibbons RJ, Alpert JS, Garson A Jr, Gregoratos G, Russell RO, Smith SC

Jr. ACC/AHA Guidelines for coronary artery bypass graft surgery. J Am Coll Cardiol 1999 Oct; 34(4): 1262-347.

Gibbons RJ, Chatterjee K, Daley J, Douglas JS, Fihn SD, Gardin JM, Grunwald MA, Levy D, Lytle BW, O'Rourke RA, Schafer WP, Williams SV, Ritchie JL, Cheitlin MD, Eagle KA, Gardner TJ, Garson A Jr, Russell RO, Ryan TJ, Smith SC Jr. ACC/AHA/ACP-ASIM guidelines for the management of patients with chronic stable angina: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. J Am Coll Cardiol 1999 Jun; 33(7): 2092-197. [891 references] [PubMed](#)

Ryan TJ, Antman EM, Brooks NH, Califf RM, Hillis LD, Hiratzka LF, Rapaport E, Riegel B, Russell RO, Smith EE III, Weaver WD. 1999 update: ACC/AHA guidelines for the management of patients with acute myocardial infarction. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. J Am Coll Cardiol 1999 Sep; 34(3): 890-911. [849 references] [PubMed](#)

State of Use of the Measure

STATE OF USE

Pilot testing

CURRENT USE

Internal quality improvement

Application of Measure in its Current Use

CARE SETTING

Ambulatory Care
Community Health Care
Managed Care Plans
Physician Group Practices/Clinics
Rural Health Care

PROFESSIONALS RESPONSIBLE FOR HEALTH CARE

Advanced Practice Nurses
Physician Assistants
Physicians

LOWEST LEVEL OF HEALTH CARE DELIVERY ADDRESSED

Individual Clinicians

TARGET POPULATION AGE

Patients of all ages with the diagnosis of chronic stable coronary artery disease (CAD)

TARGET POPULATION GENDER

Either male or female

STRATIFICATION BY VULNERABLE POPULATIONS

Unspecified

Characteristics of the Primary Clinical Component

INCIDENCE/PREVALENCE

- Approximately 13 million Americans are living with coronary artery disease (CAD).
- More than 1 million Americans had a new or recurrent coronary attack in 2001.

EVIDENCE FOR INCIDENCE/PREVALENCE

American Heart Association. Heart disease and stroke statistics - 2003 update. Dallas (TX): American Heart Association; 2002. 46 p.

ASSOCIATION WITH VULNERABLE POPULATIONS

Unspecified

BURDEN OF ILLNESS

- Chronic stable coronary artery disease (CAD) is the leading cause of mortality in the United States, accounting for almost 1 in 5 deaths.
- For individuals with CAD, the risk of another heart attack, stroke, and other serious complications is substantial.

EVIDENCE FOR BURDEN OF ILLNESS

American Heart Association. Heart disease and stroke statistics - 2003 update. Dallas (TX): American Heart Association; 2002. 46 p.

UTILIZATION

Within the past 2 decades, the number of short-stay hospital discharges for individuals with coronary artery disease (CAD) increased by almost 18%.

EVIDENCE FOR UTILIZATION

American Heart Association. Heart disease and stroke statistics - 2003 update. Dallas (TX): American Heart Association; 2002. 46 p.

COSTS

The total annual cost of coronary artery disease (CAD) in the United States is approximately \$130 billion.

EVIDENCE FOR COSTS

American Heart Association. Heart disease and stroke statistics - 2003 update. Dallas (TX): American Heart Association; 2002. 46 p.

Institute of Medicine National Healthcare Quality Report Categories

IOM CARE NEED

Living with Illness

IOM DOMAIN

Effectiveness

Data Collection for the Measure

CASE FINDING

Users of care only

DESCRIPTION OF CASE FINDING

All patients with coronary artery disease (CAD)

DENOMINATOR SAMPLING FRAME

Patients associated with provider

DENOMINATOR INCLUSIONS/EXCLUSIONS

Inclusions

All patients with coronary artery disease (CAD)

Exclusions

Documentation of medical reason(s)* for not prescribing antiplatelet therapy:
documentation of patient reason(s)** for not prescribing antiplatelet therapy

*Medical reasons for not prescribing antiplatelet therapy (aspirin, clopidogrel, or combination of aspirin and dipyridamole): active bleeding in the previous six months which required hospitalization and/or transfusion(s), patient on other antiplatelet therapy, etc.

**Patient reasons for not prescribing antiplatelet therapy: economic, social, and/or religious, etc.

RELATIONSHIP OF DENOMINATOR TO NUMERATOR

All cases in the denominator are equally eligible to appear in the numerator

DENOMINATOR (INDEX) EVENT

Clinical Condition

DENOMINATOR TIME WINDOW

Time window follows index event

NUMERATOR INCLUSIONS/EXCLUSIONS

Inclusions

Patients from the denominator who were prescribed antiplatelet therapy*

*Antiplatelet therapy may include aspirin, clopidogrel, or combination of aspirin and dipyridamole.

Exclusions

None

MEASURE RESULTS UNDER CONTROL OF HEALTH CARE PROFESSIONALS, ORGANIZATIONS AND/OR POLICYMAKERS

The measure results are somewhat or substantially under the control of the health care professionals, organizations and/or policymakers to whom the measure applies.

NUMERATOR TIME WINDOW

Fixed time period

DATA SOURCE

Medical record

LEVEL OF DETERMINATION OF QUALITY

Individual Case

PRE-EXISTING INSTRUMENT USED

None

Computation of the Measure

SCORING

Rate

INTERPRETATION OF SCORE

Better quality is associated with a higher score

ALLOWANCE FOR PATIENT FACTORS

Unspecified

STANDARD OF COMPARISON

Internal time comparison

Evaluation of Measure Properties

EXTENT OF MEASURE TESTING

Unspecified

Identifying Information

ORIGINAL TITLE

Antiplatelet therapy.

MEASURE COLLECTION

[The Physician Consortium for Performance Improvement Measurement Sets](#)

MEASURE SET NAME

[American College of Cardiology, American Heart Association, and Physician Consortium for Performance Improvement: Chronic Stable Coronary Artery Disease Physician Performance Measurement Set](#)

SUBMITTER

American Medical Association on behalf of the American College of Cardiology, the American Heart Association, and the Physician Consortium for Performance Improvement

DEVELOPER

American College of Cardiology - Medical Specialty Society
American Heart Association
Physician Consortium for Performance Improvement

ENDORSER

National Quality Forum

ADAPTATION

Measure was not adapted from another source.

RELEASE DATE

2001 Aug

REVISION DATE

2005 Aug

MEASURE STATUS

This is the current release of the measure.

This measure updates a previous version: American College of Cardiology, American Heart Association, Physician Consortium for Performance Improvement. Clinical performance measures. Chronic stable coronary artery disease. Chicago (IL): American Medical Association (AMA); 2003. 8 p.

SOURCE(S)

American College of Cardiology, American Heart Association, Physician Consortium for Performance Improvement™. Clinical performance measures: chronic stable coronary artery disease. Tools developed by physicians for physicians. Chicago (IL): American Medical Association (AMA); 2005. 8 p. [18 references]

MEASURE AVAILABILITY

The individual measure, "Antiplatelet Therapy," is published in the "Clinical Performance Measures: Chronic Stable Coronary Artery Disease." This document and technical specifications are available in Portable Document Format (PDF) from the American Medical Association (AMA)-convened Physician Consortium for Performance Improvement Web site: www.physicianconsortium.org.

For further information, please contact AMA staff by e-mail at cqi@ama-assn.org.

COMPANION DOCUMENTS

The following are available:

- Physician Consortium for Performance Improvement. Introduction to physician performance measurement sets. Tools developed by physicians for physicians. Chicago (IL): American Medical Association (AMA); 2001 Oct. 21 p. This document is available from the American Medical Association (AMA) Clinical Quality Improvement Web site: www.ama-assn.org/go/quality.
- Physician Consortium for Performance Improvement. Principles for performance measurement in health care. A consensus statement. [online]. Chicago (IL): American Medical Association (AMA), Joint Commission on the Accreditation of Healthcare Organizations (JCAHO), National Committee for Quality Assurance (NCQA); [3 p]. This document is available from the AMA Clinical Quality Improvement Web site: www.ama-assn.org/go/quality.
- Physician Consortium for Performance Improvement. Desirable attributes of performance measures. A consensus statement. [online]. American Medical Association (AMA), Joint Commission on Accreditation of Healthcare Organizations (JCAHO), National Committee for Quality Assurance (NCQA); 1999 Apr 19 [cited 2002 Jun 19]. [5 p]. This document is available from the AMA Clinical Quality Improvement Web site: www.ama-assn.org/go/quality.

For further information, please contact AMA staff by e-mail at cqi@ama-assn.org.

NQMC STATUS

This NQMC summary was completed by ECRI on September 26, 2003. The information was verified by the measure developer on January 28, 2004. This NQMC summary was updated by ECRI on September 28, 2005.

COPYRIGHT STATEMENT

Physician Performance Measures (Measures) and related data specifications, developed by the Physician Consortium for Performance Improvement (the Consortium), are intended to facilitate quality improvement activities by physicians.

These Measures are intended to assist physicians in enhancing quality of care. Measures are designed for use by any physician who manages the care of a patient for a specific condition or for prevention. These performance Measures are not clinical guidelines and do not establish a standard of medical care. The Consortium has not tested its Measures for all potential applications. The Consortium encourages the testing and evaluation of its Measures.

Measures are subject to review and may be revised or rescinded at any time by the Consortium. The Measures may not be altered without the prior written approval of the Consortium. Measures developed by the Consortium, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes, e.g., use by health care providers in connection with their practices. Commercial use is defined as the sale, license, or distribution of the Measures for commercial gain, or incorporation of the Measures into a product or service that is sold, licensed or distributed for commercial gain. Commercial uses of the Measures require a license agreement between the user and American Medical Association, on behalf of the Consortium. Neither the Consortium nor its members shall be responsible for any use of these Measures.

THE MEASURES ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.

© 2005 American Medical Association. All Rights Reserved.

© 2006 National Quality Measures Clearinghouse

Date Modified: 9/25/2006

The logo for FIRST GOV, with "FIRST" in blue and "GOV" in red, and a small red star above the "I".

